

**-Margaret Deck-**

**- July 1911 -**





- Strangalia amata -



- Colocoris sexmaculata -



- Gastrophysa viridis -



- Bristle-tailed Silverfish -



- Telephorus -



- Giant Tailed Wasp -





- Sneezewort -

July 7-

Folkestone.

July 14th.

The cliffs are a mass of wild flowers, which consist chiefly of wild mustard, poppies, mallow and bugle, besides many

others. There are several

purple scabious plants, I am not quite sure whether they are wild or not, I think they must be, as everything else on the cliffs is in quite a wild state.

We found this little yellow flower, there was only one piece of it.

There has been no rain for such a long time, that everything looks most dreadfully dusty.

We went on the beach, and as it was low tide we were able to go on the rocks.

We saw several jellyfish floating about in the pools, some of them were quite large, and had brown stripes radiating out from the centre of their backs.



July 15th.

A great deal of this viper's bugloss grows on the cliffs by the sea. The flowers are pink when they first come out, and then they turn blue. Most of the stamens are pink but when the flower dies, they turn dark blue or black. The stem is marked with small black spots the whole way up.



- Viper's Bugloss -

July 1911-



- Common Fleabane -

July 18, 1911-




July 18th.

This afternoon we went to the Warren which is the name given to the base of the cliffs between here and Dover. The ground is exceedingly chalky, and by the sea there is also a certain amount of clay. There are a great many blackberry bushes, up which an abundance of clematis, bryony and vetches grow. There are several small ponds, but nothing much grows in them except pond weeds and a branched plant, bearing small white flowers, somewhat resembling forget-me-not. Just at the edge of the water a great deal of

1) probably  
water plantain

Wild roses are still out. We found some yellow horned poppies, which were nearly over; as soon as we gathered them the petals dropped off. Some of the horns were nearly a foot long.

We found this orchis growing in some coarse grass; it is very like the sweet scented orchis, but it has practically no scent whatever. The flowers are all arranged in a flat heads at the top of the stalk, which is very slightly grooved.



*Orchis pyramidalis.*





Common Alexanders.

- July 19 -

June 19th.

This afternoon we went for a walk over the Downs. The grass looks very dried up and brown as there has been no rain for such a long time. We found the glenatis fully out, there is a good deal of it climbing up the blackberry bushes. We found some white bryony climbing up a blackberry bush, I had never seen it before. The flowers a pale greenish yellow, and the berries are first bright green, then orange, and finally a dull red. The tendrils are extremely long and curled. (See next page) We found a large patch of raven, with its delicate mauve flowers. On the side of the hills we found quantities of a little white flower, but I have not yet been able to find its name.



17p11 Bos CM32



Flower

White



Bryony



Common

Vervain

July 19-



July 20th.

This afternoon we went a bicycle ride; it was a lovely day for it, there was not too much wind. The country is looking very dry and brown, rain is badly needed. The corn is getting ripe, especially the wheat and barley, it looks almost ready for cutting. We found a great many Canterbury bells growing by the road sides, they generally seem to grow in or near woods. We found a white plant of greater knapweed, it is the first time I have seen one. Scabious grows everywhere in abundance, some of the flowers are a lovely deep mauve, while others are almost white. We found a number of different kinds of thistles; among them the Common Carline Thistle, which I have only found in one part of Kent, that is on a dry heath at a small place about ten miles from here; it is straw-coloured, and very glossy, and does

not grow very high from the ground. We found the marsh thistle, some plants had white flowers, while others were deep purple. We also found the dwarf plume-thistle, which grows to a very short height, and has a single, almost stemless, purple flower. The leaves are few and tiny.

July 21st. A very hot day. It seems to get hotter each day.

July 22nd.

We went to the Daren, which was comparatively cool; the heat is still intense. As it was low tide we were able to hunt among the rocks. We found a great many crabs, most of which were a bright green colour in some parts, which matched the green seaweed. We saw a large jellyfish, which was round, and had brown stripes, coming from the centre. It had long brown legs, and ~~thin~~ long, white ones as well. We also found a small one, and some fossils.



Scotch  
Thistle -



White

Marsh

Thistle -

- July 21 -

Purple Marsh Thistle -



- July 22 -



- July 24 -



Carline  
Thistle -

- Aug 1 -



Dwarf Thistle -

- July 24 -



- Sow Thistle -

- August 2 -



July 15 Box CM 32



"I Borage  
bring  
Courage"

- Borage -

- July 25 -

July 16 Box CM 32

July 26th.

This is a <sup>very</sup> hairy plant indeed, all parts of the plant, except the petals of the flowers, are covered with little white, and in some cases, blue or red, hairs.

The stalks are generally red, especially at the top of the plant. There is a good deal of it to be found on some waste ground, where some houses are being built. I have also seen a little of it growing on the cliffs.

The blackberry bushes are in full flower. There is a great deal of purple dead nettle about, some of it grows very tall; some plants are three or four feet high.

The poppies are just beginning to come out, and there are still a few wild roses left.



ip17 Box CM32



Bristly

Ox-tongue

This flower is easily distinguished by its large heart-shaped bracts at the base of the flowers. It has numerous prickles, each of which springs from a raised white spot. It is a stout plant, very much branched, and grows in waste places.

July 26-

ip18 Box CM32



CRAB

July 27.

This afternoon we went to the Dunes, and on the rocks we found a great many crabs of all sizes and of very varied colours. Some were a dull brown, very much resembling the colour of the clay and sand, while others were bright green, some of them having yellow and red patches on their backs. Some of them had tiny limpets clinging on to them.



Seaweed



July 28

27p 19 Box CH32



AUG. 7



July 29th.

We motored to Rye, and came back through the Romney Marsh. The corn fields look almost ripe, and most of them seem ready for cutting. Wheat seems the ripest, but we also saw some oats cut. We noticed a great deal of ivy climbing up the hedges, most of the leaves have already turned yellow and brown. The haystacks in the marsh are all thatched with reeds instead of with straw, which gives them a very fresh appearance. These reeds grow by the edges of all the ditches, and in the ponds. We passed a small pond which was quite covered with water buttercups. Viper's bugloss seems to flourish on the very shingly soil of the marsh, in some places it grows simply in the shingle. The day has been very close, but this evening's thunder storm has cooled the air considerably.



July 31st.

This afternoon we spent on the beach. The tide was very high, much higher than it often is. We found a great deal of mallow on the cliffs; snails seem very fond of it, there are always to be found several small ones on its leaves and stems. The flowers wither very soon.

MALLOW

- July 31 -





- Lucerne -

- August 2 -



- Saintfoin -

- August 3 -

August 2.

This afternoon we went a very pretty walk over the hills, across the Canterbury road, to the Lady Doods. On the hills we found a good many hairbells, but most of them were very small. There was a great deal of greater knapweed; some of it grew very high in amongst the grass bushes. We passed through some cornfields which did not seem to have suffered from the drought, I have seldom seen such a fine field of wheat, and the barley was almost as good.

We found several blackberries quite ripe, it seems very early for them. White campion is still in flower.

The honeysuckle has been very early this year, it seems nearly over already. When it is gathered it drops almost immediately.

Lucerne and saintfoin are generally cultivated for fodder, but they occasionally seem to grow wild; I have often found them in hedges, quite away from any fields. Buts are getting very large.





"Though woodbines flaunt & roses grow  
 'tween all the fragrant bowers,  
 Thou need'st not be ashamed to show  
 Thy satin-threaded flowers;  
 For 'twixt the eye, the heart is dull,  
 That cannot feel how fair,  
 Amid all beauty, beautiful  
 Thy tender blossoms are."

- Elliott -

AUG. 4.

Blackberries are ripe very early this year,  
 Some days ago we found several that were  
 quite black.  
 We found field gentian out for the first time.



- Musk Thistle -

- August 5 -



August 7th.

We spent the afternoon on the beach; fortunately the tide was low, leaving the rocks uncovered. We found a great many different kinds of seaweed, in all shades of green, brown, red and yellowish white. Crabs, as usual, were to be found in all the pools, a great many seem to have lost some of their legs. We found a tiny one, it looked almost like a very small spider, it is quite the smallest I have seen. I tried to find some starfish, which seem very scarce just at present, and I only found a very small one which was dead.

August 9th.

The fine weather still continues, and it seems to get hotter each day. This morning before 8 am. the thermometer was  $86^{\circ}$  in the shade, and later on in the day it was  $115^{\circ}$  in the sun. There are a great many small green caterpillars hanging from the trees, more than I have ever seen before.

August 10th.

It is much cooler today, there is much more breeze. This afternoon the wind got up, and this evening there is quite a gale blowing, which has made the sea very rough. The rain still keeps off.

August 11th.

There is still a good deal of wind, though not quite as much as yesterday. The fine weather still continues. The cliffs can be seen very clearly this afternoon, they look very brown and bare. There are several patches of bright red earth, which are a great contrast to the chalk and grass.

August 12th.

A glorious day. We motored to Ashford, and found it even hotter there than it is here. The hops we passed seemed to be a very good crop, they will soon be ready for picking. Nearly all the corn is cut, and most of it is brought in.

August 14th. A lovely day, and much cooler. We motored through Bente and Sandwich to Deal, and back through Dover. We passed several very fine hop fields.



27p27 Box CM32



- SLOE -

- AUGUST 17, 1911 -

27p28 Box CM32

August 17th.

Thun, Switzerland.

This afternoon we went through what is called the Via Mala, where the Rhine flows through a bed it has made for itself out of the rock, the sides of which are about 1600 ft. high, and rise up almost sheer from the water. On the summit there are masses of trees, and on the sides they grow in every place where is any soil, in some cases there looks to be very little. The scenery is magnificent; the colouring of the rocks, the different shades of the green of the grass and trees, and the beautiful green colour of the river is beyond all description.

The road runs by the side, and crosses the river by bridges in three places at a height of about 160 ft. In some parts the river is so narrow that the rocks on either side of it almost meet.

On the way there we found the white gentian on the next page, growing in several places on the bank, chiefly under or near trees.



ip29 Box CM32



Swallow-wort  
- Gentian -

AUGUST 18 -

ip30 Box CM32



- Bavarian Gentian -

AUG: 25 -

Sept. 191 -



27p31 Box CM32

- Bonifresina -



Panicled  
- Monk's Hood -

- AUGUST 21 -

27p32 Box CM32



- Hawk-weed Persis -

- AUGUST 22 -



17p33 Box CM32



Few-flowered  
- Rampion -



Alpine Fleabane

17p34 Box CM32



(f)



(m)



- Dioecious Antennaria -

- Aug. 23 -





The toad flax on the opposite page was found close to the Nartuatsch glacier; I also found it growing in the bed of a stream, and high up in a mountain stream. Some plants have no yellow centres, and are a paler colour. The fields are quite mauve with Colchicums, they are very abundant.



Alpine Aster —

August 23rd.

We went a walk up the Roseg Valley in search of wild flowers, and on the steep banks by the side of the road we found a good many, including the bearded harebell, with its pretty little fringed pale blue flowers, which always seem to hang down. We found a good deal of alpine fleabane and rampion, also one or two pieces of the pink alpine trifol still out, most of it seems to be over. There

are still several flowers to be found, but it is rather too late for the majority of them. As Parnassia is 6000 ft. above the sea level, they are later than most places. In a very damp place I found several plants of panicked monk's hood; a few days later I found another variety, the common monk's hood, the only difference being that the former has stalked, and the latter, sessile flowers.



Alpine Toad Flax —



ip37 Box CM32



(white)

LONG-STALKED

THISTLE

-Aug:25-

ip38 Box CM32



(purple)

Aug:26



17p39 Box CM32



- Carniol Groundsel -

- Cur Leaved Groundsel -

17p40 Box CM32



- Arnica -  
opposite leaves


- Doronicum -  
alternate leaves

- Aug. 29 -



August 29.

Today we went to the Val  
its wild flowers. The lower  
had just had the hay cut,  
grew in great profusion. I had  
to be found there, so I climbed  
in the grass at the foot  
rocks, not far from a small  
the grass in several places  
alpine forget me nots, and  
little bavarian gentian  
I found quantities of the  
growing near them were  
and orange groundsel and  
to find the *Silene acaulis*  
tufts on the rocks, or in the  
flowers. I found it in  
the androsace, which is  
were a good many fringed  
very delicate pink, and  
scent. I found a  
house-leeks, which reproduce  
off small rosettes of leaves  
some of them had as many  
growing round the main  
few with flowers as large



- Edelweiss -

27p41 Box 4132

del Fair, which is noted for  
parts of the mountain side  
but further up the flowers  
beard that edelweiss was  
up until I found it, growing  
of some enormous limestone  
stream. On my way down,  
I passed, was blue with  
there were patches of the  
which was still in flower.  
pretty mauve asters, and  
bright patches of arnicas  
orange hawkweeds. I tried  
which grows in moss-like  
grass, having small pink  
several places, as well as  
rather similar. There  
pinks, which are a  
have a very sweet  
great many of these  
themselves by sending  
which form new plants,  
as eight or nine  
stem. I found very  
as these.



- Cob-webbed House-leek -





Daphne Mezereum

Maloja

We did not find many flowers here, but a great many berries of all kinds. I found bilberries growing everywhere, also the bearberry plant with many berries on it. At Pantiesina we saw the plant everywhere, but never even a single berry on it. We found these berries on a shrubby plant about

two feet high; I am not sure what they are; they may belong to the larger daphne. Both here and at Pantiesina there are no trees with leaves on their branches, firs and larches are the only ones which seem to grow as it is 6,000 ft. above the sea level. We found plants of the honeysuckle which has blue berries.

September 11th.

To-day we went by steamer from Lugano to a small place called Gandia. From there we followed a path above the lake which led round an enormous rock, about two hundred feet high projecting into the lake, and stratified in a most curious manner. Under the trees on the side of the path we found some cyclamens, which were the first I had seen growing wild. On the opposite side of the lake they are said to grow in great profusion. I found a great many ferns, about eight or nine different kinds.



September 28th.

Chubbeside.

This afternoon we went along the road by the Brattay, there was not very much water in it. The hips were very abundant, and I was struck with their colour. Most of them were a very dark red, much darker than I have seen them in the South. We also found campion in bud, and laurels and golden rod still in flower. On an oak-tree we saw some very pretty galls, red and yellow.

# INDIA

February 1912 - March 1914.



27p46BoxCM32



-Helleborine-

-Flower-

MAY 16. 1912

27p47BoxCM32

Thandiani. May 16. 1912.

Coming up from Abbottabad we saw a good deal of helleborine after passing Kalapani. The trees looked most beautifully fresh in their new Spring green leaves, and the effect of the white flowers amongst them was lovely. There was a great deal of the trailing white clematis fully out, and the peonies were also in full bloom. It was quite warm coming up.

May 18.

We had a terrific hail and thunderstorm, some of the hail stones were as large as walnuts. In the evening we went a walk to James' Hill, and found several flowers out.

May 20.

We went a walk to Hulaka-dunna Saddle and found the Solomon's Seal in bud; but that evening we found it quite out.

We heard the black & yellow goshawk in several places and saw three. They are large handsome birds, bright yellow with black wings.

Maidenhair grows everywhere very plentifully.





Podophyllum  
Emodi-



-Fruit-

July 27.

I have never found these flowers open any more than this, neither have I seen two of them grow near together, they always seem to be very few and far between. It looks very much like an anemone, but belongs to Berberaceae, and not to Ranunculaceae.

May 22.



This anemone is especially common in our compound. The petals are white, but shaded in varying degrees of mauve, on the underside.

A few leaves are arranged round the top of the stem just below the flower, and the radical leaves are divided into three, much indented, and covered with silky hairs. The underside of the petals is hairy, but the upper surface is quite smooth.

-ANEMONE-

-back of flower-

May 30-



17p50 B08 CH 32



White Peony -

-Very Plentiful-



-Fruit-



Section showing  
seeds-

May 22.



17p51 Box CM32



- Gentiana Argentea -

This small blue gentian grows plentifully in the grass, never being more than about two inches high. The flowers close in the evening.

May 30.


June 7. We went out specially to see the black and yellow grosbeak - a large yellow bird with black wings, but unfortunately we did not see it. We found a white columbine in flower. The fruit of the sycamore is a brilliant red colour, I have never seen it so bright. There seems to be a great deal this year. Two little black crested tits are building in the front verandah. Their nest is beautifully made of ~~woven~~ wood, woven together, and is of a bluish grey colour. I found this mauve anemone, which is coloured on the upper side of the petals, and white underneath, just the contrary of the others.

17p52 Box CM32




- Primula -  
Very common everywhere.

- MAUVE ANEMONE -



Front

JUNE 8 -



Gerbera Lanuginosa.

Back

- JUNE 14 -



27p53 Box CM32

JUNE 8.



GLOW WORM -



AUGUST 5.



Tree Frog -

SEP 10

27p54 Box CM32

June 12.

Today we went a walk along the precipice path and we found several new flowers. A little way up the bank we saw a small bush of yellow jessamine. (*Jasminum humile*) The flower is ~~very~~ pretty and the scent is very sweet. We saw several plants of yellow wallflower. The stems are thick and upright, not branched, and the flowers are small and yellow. By the side of the path we saw a very pretty rock plant (see next page) rather resembling a pink forget-me-not. The stalks were unbranched, tall (6-12 in) and slender, and the leaves grew in a rosette at the bottom. I have not yet found its name.

We next came to a flower growing in the rocks, very much like a colts' foot, but being either pale pink or white. The leaves were radical; bluish green on the upper, and white on the under side, and shaped like those of a dandelion.

The deadly nightshade near the tennis court is now in flower. The flowers differ a little from those I saw at Farness Abbey, they are much more of a greenish yellow, not nearly such a deep purple.



June 14.

We found several wild rose bushes in full bloom just below James's hill. We saw a saw thistle for the first time. On the lower road just past the tennis courts, we found three ripe strawberries, the first I have seen this year.

June 18.

This evening we went a walk on the path just below the precipice path. We found a great many ripe strawberries, most of which were quite sweet.

Revisited St. John's Bar we found out for the first time, and we found several plants of "Saxifraga lanuginosa" growing in the rocks, much finer specimens than we found on the path above. Composites were very plentiful, and there were several plants of the pretty little yellow jessamine.

Nepetas are very common, and vary a good deal in colour from quite a pale pinkish-purple, to quite a dark blue or purple.  
See next page.





i7p57BoxCM32



- Nepeta Erecta -

- JUNE 18. 1912 -



- Jessamine -



Flower -

- JUNE 19. 1912 -

i7p58BoxCM32



Fruits of the  
- Sycamore -

JUNE 19



June 26. Yesterday we went for a picnic to Panther Hill Saddle, and I found several new flowers. While rambling wild roses were lovely, they never seen to grow up here.

found edelweiss

We came across

looks very much

outer mauve

upper and ~~two~~ <sup>one</sup>

hairy. One of

The seeds <sup>vesicles</sup> grow

out. Thus: —

found very

We saw a

not yet found

pink, resembling

like thistles.

A horse

growing on it.

growing in

only the flowers

the stalk, and

Mullein is

much further

growing in great quantities, but it was getting over.

a tall, leafless plant, with small mauve flowers; it

like an achillea. The perianth consists of five

sepals, surrounding an inner lip divided into two

lower petals. Each are divided, and the upper two are

the sepals is spurred. The stamens are numerous.

in threes, and expand to let the seeds fall

The plant was nearly over, we

few flowers still out.

good deal the flower illustrated on this page; I have

its name. The flowers are white tinged with

like those of the honeysuckle. The leaves are prickly,

The white jessamine is beginning to come out.

Chestnut tree had a great deal of mistletoe

On the way back we found an erect plant

growing in the rocky places; it was a little like vervain,

only the flowers seemed crowded in a flat head at the top of

the stalk, and in a spike.

just beginning to come out down there, but is

back ~~up~~ here.



June 27-

- Morina persica - Panther Hill -



June 26. Today we found meadow  
crescent out for the first time on James' Hill.  
We also found a thick, short, hairy member  
of the Labiales, with bluish grey flowers, I  
think it is "philomis bracteosa."

July 2.

We found the first piece of this flower on  
the opposite page (*Wulfenia amherstiana*)  
growing in the rocks at the side of the  
waterworks' road. It always grows on  
damp rocks.

July 15.

We went along the precipice path for the  
first time since the rains began, and found  
quantities of the little mauve *roscoea alpina*.  
(see illustration next page) It seems to have  
shot up since we were here last about a  
week ago. We have also found here a  
trailing plant with greenish white flowers,  
rather resembling *begonia*.



*Wulfenia amherstiana*

JULY 1.



17p62 Box CM32



- Roscoeae alpina -



White Bistort-

July 23. 1912.

17p63 Box CM32



- Red Bistort -



- Potentilla -

- JULY 18. 1912. -

- JULY 18. 1912. -



i7p64BoxCM32



July 27-



July 27-



July 28-



sep. 7.



July 27-



July 28-



July 27-

-Toadstools-



Aug. 2.





17p65 Box CH32

July 31. We found this  
out for the first time  
on the precipice path;  
there seemed to be very  
little of it, we only saw  
two other pieces. We  
also found a yellow  
belch, with numerous  
yellow flowers, tinged  
with purple.  
The "roscola alpina" is  
quite over now.



- Fruit of the Balsam -

- Fringed Campion -

July 31.

17p66 Box CH32



• Seed -

- BALSAM -

- August 6, 1912 -



27p67 Box CM32  
ORCHIDACEAE



*Habenaria Edgeworthii*

- AUGUST 6 -

AUG. 5.

27p68 Box CM32



*Neottia*  
*Listeroides*

AUG. 10.



- *Satyrium*  
*nepalense* -

SEP. 2.



27p69BoxCM32

August 12.

On Saturday we went to Panther Hill, and found sixteen new flowers, this thistle amongst them. It has small white flowers, (which were almost over,) embedded in brown hairy down. The leaves were green on the upper side covered with white down, and quite white on the under side. We found another balsam, having pink flowers, smaller than those usually found here, and a spurge. Several plants of the pink bistort were growing on the top.



Echinops niveus - Panther Hill.

27p70BoxCM32

Edelweiss was over, but in a few places we found a new crop coming out, with very large flowers. Woody nightshade was growing by the side of the path below the hill, I have found none anywhere else. There were quantities of a rather tall pink flower which seems to grow there only, I have seen it nowhere else. It is one of the Labiales - Pedicularis gracilis. I found all three colours of bistort - red, white and pink.



Red  
Broom-  
Rape.

AUG. 13.



# FLOWER

Nos	NAME	LATIN NAME	ORDER
339	Meadow Sage	<i>Salvia pratensis</i>	Labiatae
340	Swallow-wort Gentian	<i>Gentiana asclepiadea</i>	Gentianaceae
341	Evergreen Saxifrage	<i>Saxifraga aizoides</i>	Saxifragaceae
342	Arnica	<i>Arnica montana</i>	Compositae
343	German Gentian	<i>Gentiana germanica</i>	Gentianaceae
344	Few flowered Rampion	<i>Phyteuma pauciflorum</i>	Campanulaceae
345	Alpine Trefoil	<i>Trifolium alpinum</i>	Leguminosae
346	Antennaria (m)	<i>Antennaria dioica</i>	Compositae
347	Antennaria (f)	<i>Antennaria dioica</i>	Compositae
348	Common Monks Hood	<i>Aconitum Napellus</i>	Ranunculaceae
349	Monks Hood (panicled)	<i>Aconitum paniculatum</i> Lamarck	Ranunculaceae
350	Bearded Bell Flower	<i>Campanula barbata</i>	Campanulaceae
351	Boreal Linnaea	<i>Linnaea borealis</i>	Caprifoliaceae
352	Rough Saxifrage	<i>Saxifraga aspera</i>	Saxifragaceae
353	Golden Hawks Beard	<i>Crepis aurea</i>	Compositae
354	Alpine Fleabane	<i>Erigeron alpinus</i>	Compositae
355	Long-stalked Thistle	<i>Carduus</i>	Compositae
356	Silver Thistle	<i>Carlina acaulis</i>	Compositae
357	White Mountain Saxifrage	<i>Saxifraga aizoon</i>	Saxifragaceae
358	Alpine Speedwell	<i>Veronica alpina</i>	Scrophularinae
359	Colchicum	<i>Colchicum autumnale</i>	Liliaceae
360	Cobwebbed House-leek	<i>Sempervivum arachnoideum</i>	Liliaceae
361	Fringed Pink	<i>Dianthus superbus</i>	Caryophyllaceae
362	Alpine Toadflax	<i>Linaria alpina</i>	Scrophularinae
363	Brown Trefoil	<i>Trifolium badium</i>	Leguminosae
364	Edelweiss	<i>Gnaphalium leontopodium</i>	Compositae
365	Doronicum	<i>Senecio Doronicum</i>	Compositae
366	Carniol Groundsel	<i>Senecio carniolicus</i>	Compositae

7p71 Box CM32

# LIST (continued)

1911

J F M A M J J A S O N D

WHERE FOUND

17 17

Thosis - Switzerland.

17 17

Thosis

17

Pontresina

20

Pontresina

20

Pontresina

22

Roseng Valley

22

Roseng Valley

22

Roseng Valley

22

Roseng Valley

22 1

Roseng Valley

22 1

Thosis and Pontresina

22 1

Roseng Valley

22

Woods, Pontresina

23

Alp Languard "

23 1

Bernina Road "

23 1

Roseng Valley, Pontresina

23 1

Alp Languard "

23 1

Roseng Valley "

23

Alp Languard "

23

Alp Languard "

24 1

Fields, Pontresina

25 1

Val del Fain, Bernina Pass.

25 1

Val del Fain

27 1

Morteratsch Glacier

27 1

Pontresina

29

Val del Fain

29

Val del Fain

29

Val del Fain



# FLOWER

Nos	NAME	LATIN NAME	ORDER
367	Cut-leaved Groundsel	<i>Senecio abrotanifolius</i>	Compositae
368	Alpine Aster	<i>Aster alpinus</i>	Compositae
369	Bavarian Gentian	<i>Gentiana bavarica</i>	Gentianaceae
370	Glacier Androsace	<i>Androsace glacialis</i>	Primulaceae.
371	Dwarf Silene	<i>Silene acaulis</i>	Caryophyllaceae
372	Alpen-rose	<i>Rhododendron hirsutum</i>	Ericaceae
373	Beaked Lousewort	<i>Pedicularis caespitosa</i>	Scrophularinae
374	Alpine Ox-Eye	<i>Chrysanthemum alpinum</i>	Compositae
375	Black Milfoil	<i>Achillea atrata</i>	Compositae
376	Astragal	<i>Astrantia major</i>	Umbelliferae
377	Grey Saxifrage	<i>Saxifraga androsacea</i>	Saxifragaceae
378	Alpine Bitter Cress	<i>Hutschinsia alpina</i>	Cruciferae
379	Dwarf Eyebright	<i>Euphrasia minima</i>	Scrophularinae
380	Dwarf Cudweed	<i>Gnaphalium supinum</i>	Compositae
381	Wood Cudweed	<i>Filago germanica</i>	Compositae
382	Yellow Sage	<i>Salvia glutinosa</i>	Labiatae
383	Wood-pink	<i>Dianthus sylvestris</i>	Caryophyllaceae
384	Trailing Daisy	<i>Erigeron mucronatus</i>	Compositae
385	Cyclamen	<i>Cyclamen europaeum</i>	Primulaceae
386	Persecaria (pink)	<i>Polygonum persicaria</i>	Polygonaceae
387	Hemp Agrimony	<i>Adenostyles alpina</i>	Compositae
388	Yellow Wort	<i>Blackstonia perfoliata</i>	Gentianaceae
389	Hop	<i>Humulus Lupulus</i>	Urticaceae
390	Peppermint	<i>Lepidium latifolium</i>	Cruciferae
391	Livewort	<i>Sedum telephium</i>	Crassulaceae
392	Water Pepper	<i>Polygonum hydropiper</i>	Polygonaceae
393	Autumnal Hawkbit	<i>Leontodon autumnalis</i>	Compositae
394	Ivy	<i>Hedera helix</i>	Araliaceae
395	Round-leaved Sundew	<i>Drosera rotundifolia</i>	Droseraceae
396	Creeping Thistle	<i>Cnicus arvensis</i>	Compositae
397	Hawk-weed Picris	<i>Picris hieracioides</i>	Compositae

27p72 Box C132

# LIST (continued)

-1911-

J F M A M J J A S O N D

WHERE FOUND

29	Val del Fain	Bernina Pass, Pontresina
29	Val del Fain	" "
29	Val del Fain	" "
29	Val del Fain	" "
29	Val del Fain	" "
29	Val del Fain	" "
29	Val del Fain	" "
29	Muottas Muragl & Val del Fain	" "
29	Val del Fain	" "
29	Roseng Valley	" "
29	Alp Languard	" "
1	Pontresina	
1	Pontresina	
1	Pontresina	
3	Pontresina	
3	Maloja and Chiavenna	
7	Bernina Road.	
7	Bellagio	
7	Gandria, S. of Lugano.	
27	Thosis	
29		
3		
3		
29		
282		
28		
2		
3		
2		
3		
01		



27p73Box CM32

Nos	NAME	LATIN NAME	ORDER
398	Helleborine	Cephalanthera ensifolia	Orchidaceae
399	White Peony		
400	Clematis	Clematis montana	Ranunculaceae
401	Anemone	Anemone obtusiloba	Ranunculaceae
402	Pink Anemone	Podophyllum Emodi	Berberidaceae
403	Saxifrage	Saxifraga ciliata	Saxifragaceae
404	Primula (purple)	Primula denticulata	Primulaceae
	Wood violet		
	Yellow Columbine		
	Dandelion		
405	Primula (pink)	Androsace rotundifolia	Primulaceae
	Hawkweed		
	Figwort		
	Bladder campion		
	Colts foot		
	Buttercup		
406	Wayfaring tree 1.	Viburnum cotinifolium	Caprifoliaceae
407	Wayfaring tree 2.	Viburnum foetens	Caprifoliaceae
	Ribwort plantain	Plantago lanceolata	Plantaginaceae
408	Alpine Penny cress		
	Strawberry		
	Anemone		
	Black medick		
409	Spurge	Euphorbia Royleana	Euphorbiaceae
	Marsh Valerian		
	Cherry		
	Sycamore		
	Solomon's Seal		
410	Potentilla	Potentilla nepensis	Rosaceae



Nos.	NAME	LATIN NAME	ORDER	1912 J F M A M J J A S O N D J F M A M J J A S O N D	Thandiani Nos.
411	Yellow Laurel	Skimmia Laureola	Rutaceae	16	30
	White Dead Nettle			21 1 1 1	31
412	Honeysuckle Tree par.	Lonicera orientalis	Caprifoliaceae	22	32
413	Small blue Gentian	Gentiana argentea	Gentianaceae	17 1 1	33
	Chickweed			20 1 1 1	34
	Germander Speedwell	Veronica biloba	Scrophulariaceae	25 1 1 1	35
414	Small white saxifrage	Gypsophila cerastioides	Saxifragaceae	16 1 1 1	36
415	Small ox eyed daisy		Compositae	16	37
	Pine			18 9	38
	Sorrel			29 1	39
	Wild Currant			30 1	40
416	Mauve Columbine	Aquilegia pubiflora	Ranunculaceae	1 1 1 1	41
	Honeysuckle Tree		Caprifoliaceae	1	42
	Horse chestnut			2	43
417	Blue Mint	Nepeta erecta	Labiatae	1 1 1	44
418	Flixweed	Sisymbrium Sophia	Cruciferae	1	45
419	Barberry	Berberis vulgaris	Berberidaceae	1	46
	"	Berberis Lycium	Berberidaceae	1	47
	Musk Thistle			3 1 1	48
	Wild Rose	Rosa macrophylla	Rosaceae	3 1	49
	Wild Carrot		Umbelliferae	3 1 1	50
	White bramble (?)			20 1	51
	Small pink bramble			1	52
420	Indigo	Indigofera gerardiana	Leguminosae	1 1 10	53
421	Yellow Daisy	Senecio Amplexicaule	Compositae	6 1	54
422	Coroneaster	Coroneaster bacillaris	Rosaceae	3	55
	Wallflower	Erysimum alaicum	Cruciferae	12 1 1	56
423	Jessamine	Jasminum humile	Oleaceae	12 1 1	57
424	Gerbera	Gerbera lanuginosa	Compositae	12 1	58
	Hairy mint	Micromeria biflora	Labiatae	3	59
425	Small buttercup			29 1 1 1	60
	Dock			29 1 1 1	61
	Deadly Nightshade	Atropa belladonna	Solanaceae	12 1 1	62
	Heath Bedstraw	Galium saxatile	Rubiaceae	10 1 1	63
	Edelweiss	Graphalium leontopodium	Compositae	10 10	64



Nos	NAME	LATIN NAME	ORDER	1912 J F M A M J J A S O N D J F M A M J J A S O N D	THANDIANI NOS.
	Mallow	Malva rotundifolia	Malvaceae	29 1 1 1	20 1 1 65
426	Rock Primula	Androsaceae sarmentosa	Primulaceae	12 1 1	20 1 1 66
	Sow Thistle	Sonchus oleraceus	Compositae	14	67
	Perforated St. John's Wort	Hypericum perforatum	Hypericaceae	17 1 1	18 1 1 68
	Common Avens	Geum urbanum	Rosaceae	17 1 1	20 1 1 69
	Small Willow Herb	Epilobium brevifolium	Onagraceae	19 1 1	20 1 1 70
	Small pink Cranesbill			19 1 1	19 1 1 71
427	Cobra Plant	Arisaema Wallichianum	Araceae	19 1 1	19 1 1 72
428	Tall Solomon's Seal	Polygonatum verticillatum	Liliaceae	21	21 73
429	Cotoneaster (pink)	Cotoneaster rosea	Rosaceae	21	21 74
	Self-heal			21 1 1	21 1 1 75
	Wood Sanicle			24 1 10	24 1 10 76
430	Hound's Tongue	Cynoglossum microglochin	Boraginaceae	24 1 1	24 1 1 77
	Yarrow			24 1 1	24 1 1 78
	Persicaria			24 1 1	24 1 1 79
431	White Rose			19 1 1	19 1 1 80
432	Cobra plant (small)	Arisaema flammum	Araceae	19 1 1	19 1 1 81
	White jessamine	Jasminum officinale		25 1 1	20 1 1 82
	Spiraea	Spiraea sorbifolia	Rosaceae	25 2 1	25 25 1 83
433	Michaelmas daisy			25 1 1	25 1 1 84
434	White Rambler	Rosa moschata	Rosaceae	25 2	25 2 15 1 85
435	Knapweed	Serratula pallida	Compositae	25	25 86
436	Tall nettle	Girardinia heterophylla	Labiatae	25 1 1	25 1 1 87
437	Tall mauve orchis			25 1 1	25 1 1 88
	Mullein	Verbascum Thapsus	Scrophularinae	25 2 1	25 2 1 89
	Bedstraw	Galium cryptanthum	Rubiaceae	25 1 1	25 1 1 90
438	White marjoram			25 1 1	25 1 1 91
439	Sisymbrium	Sisymbrium stricta	Cruciferae	26 1 1	26 1 1 92
	Meadow Cranesbill			26 2 1	26 2 1 93
440	Forgetmenot	Cynoglossum furcatum	Boraginaceae	26 1 1	26 1 1 94
441	Philolmis	Philolmis bracteosa	Labiatae	27 2 1	27 2 1 95
	Stinging Nettle	Urtica dioica	Urticaceae	28 2 1	28 2 1 96
442	Cobra Plant (green)	Arisaema Jacquemontii	Araceae	28 2 1	28 2 1 97
443	Morina	Morina persica	Dipsaceae	25	25 98
	Small buttercup			18 1 1 1	18 1 1 1 99
	Common Agrimony	Agrimonia Eupatorium	Rosaceae	30 2 1	30 2 1 100
	Campanula	Campanula colorata	Campanulaceae	2 1	2 1 101
444	Red Bistort	Polygonum amplexicaule	Polygonaceae	2 1	2 1 101



27p76BoxCM32

Nos.	NAME	LATIN NAME	ORDER
	Yellow Vetch		
445	Wulfenia	Wulfenia Amherstiana	Scrophulariaceae
446	Majorana Tall meadow Sweet		
447	White Nepeta	Nepeta ciliaris	Labiatae
448	Bryony	Cynanchum auriculatum	Asclepiadaceae
	Toothed Medick	Medicago denticulata	Leguminosae
449	Roscoea	Roscoea alpina	Scitamineae
450	Bur Marigold		
451	Pink Balsam	Impatiens Roylei	Geraniaceae
452	Small Balsam	Impatiens brachycentra	Geraniaceae
453	Tall Campanula		
	Ragwort		
454	Green Orchis		
	Nipplewort	Lapsana communis	Compositae
455	Yellow Bala	Impatiens scabridia	Geraniaceae
	Toothwort	Lathraea squamosa	Scrophulariaceae
	Mallow	Malva silvestris	Malvaceae
	Corydalis fl	Corydalis ramosa	Fumariaceae
456	Fringed Campion	Silene Griffithii	Caryophyllaceae
457	Yellow Vetch	Astragalus chlorostachys	Leguminosae
	Slender Hares Ear	Bupleurum tenue	Umbelliferae
458	Spiraea	Spiraea canescens	Rosaceae
	Yellow Thistle		
459	Hermidium	Hermidium angustifolium?	Orchidaceae
460	Neottia	Neottia listeroides	Orchidaceae
461	Autumn Ladies Tresses	Spiranthes autumnalis	Orchidaceae
462	Habenaria	Habenaria Edgeworthii	Orchidaceae
	Greater Plantain	Plantago major	Plantaginaceae
	Oxalis	Oxalis corniculata	Geraniaceae
	Goosefoot	Chenopodium	Chenopodiaceae
463	Large Nictelia		
464	Alpine Enchanter's Nightshade	Circaea alpina	Onagraceae
465	Clematis nutans	Clematis nutans ?	Ranunculaceae



17p77B06CM32

Nos.	ENGLISH NAME	LATIN NAME	ORDER	1962 J F M A M J J A S O N D J F M A M J J A S	Thandiani Nos.
	Wood spurge			5	136
	Hemlock			5	137
	Nellie			7	138
466	Monk's Hood	Aconitum heterophyllum	Ranunculaceae	9	139
	Eyebright	Euphrasia officinalis	Scrophulariaceae	10	140
	Enchanter's Nightshade	Circaea lutetiana	Onagraceae	10	141
467	Pink Balsam	Impatiens Thomsoni	Geraniaceae	10	142
	Yellow Sage	Salvia glutinosa	Labiatae	10	143
468	Large grey thistle	Echinops niveus	Compositae	10	144
469	Andrachne	Andrachne cordifolia	Euphorbiaceae	10	145
470	Red Broom Rape	Orobanche Epithymum	Orobanchaceae	10	146
471	Pedicularis	Pedicularis pectinata	Scrophulariaceae	10	147
	Woody Nightshade	Solanum Dulcamara	Solanaceae	10	148
472	Lychnis	Lychnis fimbriata	Caryophyllaceae	10	149
473	Anemone polyanthes	Anemone polyanthes ?	Ranunculus	10	150
474	Rock bell flower			10	151
475	Pink Vetch			10	152
476	Strobilanthes	Strobilanthes alatus	Acanthaceae	10	153
477	Foxglove			10	154
478	Borage			10	155
	False Strawberry	Fragaria indica	Rosaceae	10	156
	Meadow Sweet			10	157
479	Tall figwort	Scrophularia himalensis	Scrophulariaceae	13	158
480	Long-leaved primula			13	159
481	Small Teasel	Dipsacus inermis	Dipsacaceae	14	160
482	Tall small mauve			15	161
483	Plectranthus	Plectranthus Gerardianus	Labiatae	15	162
	Mossy Daisy			15	163
	Pedicularis	Pedicularis gracilis	Labiatae	19	164
	Valerian			20	165
	Broadleaved Orchid			20	166
	Swertia 1.	Swertia cordata	Gentianaceae	20	167
	Large Medick			20	168
	Orchid h.l.			20	169
	Swertia 2.	Swertia paniculata	Gentianaceae	21	170
	Small blue Nepeta		Labiatae	21	171



Nos.	ENGLISH NAME	LATIN NAME	
	Hemp		
	Prenanthes	Prenanthes Brunoniana	Compositae
	Mugwort		
	Nepeta	Nepeta Qovaniana	Labiatae
	Wild Basil		
	Golden Rod		
	Pink Orchis	Satyrium nepalense	Orchidaceae
	Swertia 3.	Swertia tetragona	Gentianaceae
	Black Nightshade		
	White Knappweed		
	Knot Grass		
	Sessile Hawkweed		
	Artemesia		
	Travellers Joy		

J F M A M J J A S O N D

22	
27	172
27	173
30	174
31	175
31	176
31	177
31	178
31	179
31	186
31	181
31	182
31	183
31	184
31	185